

TRANEMO

ADVANCED WORKWEAR



CE



EN ISO 11612
A1 B1 C1 F1



EN 61482-2
APC 2
ELIM: 25,0 cal/cm² ATPV: 25,0 cal/cm²



EN 1149-5



**EN ISO 11611
CL.1 A1



**EN 13034
type PB[6]



EN ISO 20471
CL.3



EN 343
3.1



*EN 342
(5118+5122)

511894 FLAME RETARDANT PARKA

Non-Metal and Inherent Flame Retardant quilted parka with taped seams. Wind and water resistant fabric according to EN 343.

The parka is ergonomically shaped for work with raised arms. Concealed front zip and double stormflap with press studs. Detachable and adjustable hood. Two loops for communication equipment. Chest pockets with zip. D-ring. Pockets with fleece lining. Front pockets with flaps. Sleeve pocket with flap, hidden D-ring and strap for ID-pocket. Two inside pockets with zip, one for documents/lpad with an integrated mobile phone pocket. Adjustable sleeve width and inside knitted cuffs. Drawcord at the waist and bottom of the parka. HTFR Dobby at the bottom of the jacket and on the sleeves. Heat sealed reflective stripes for greater comfort. Fiberfur lining 9128 can be attached. *The garment is tested in a 3 layer system together with basic underwear. Tranemo recommends underwear 5920/5940 and 5980. **Hood must be used or removed during welding or work with chemicals.



Color: 94 yellow/navy

Size: XS-4XL

Quality: 054: Lining - Quilt FR, 45% modacrylic / 35% cotton / 18% polyamide / 2% antistatic, 160 g/m² with polyester wadding, 80 g/m²
804: HTFR Dobby - 39% modacrylic / 28% polyamide / 17% cotton / 15% aramid / 1% antistatic, 295 g/m²
943: Mega TX 230IR - 40% modacrylic / 59% viscose / 1% antistatic, PU-laminated, 230 g/m²

